

LINEAR EDGEBANDER





DESCRIPTION

The T-EB-149 is our most compact economical Linear Edgebanding machine. The T-EB-149 is ideal for small manufacturers with limited space in their factory. Although a compact machine it comes with standard edging units i.e. End Cutting, Top and Bottom Trimming units as well as our standard Teflon coated EVA Hotmelt glue pot system found on the majority of the Turanlar UK Edgebander range. The machine is manufactured to the highest European standards expected within the UK market. Please get in touch if you require more details and pricing.





T-EB-149 - SPECIFICATION SHEET

TURANLARUK

PRODUCT SPECIFICATION

Electrical Level:	415 V
Phase:	Three Phase
Nominal Current:	12,5A
Edge Material Thickness:	0.4 - 3mm
Board Thickness:	10 - 46mm
Speed:	10m/min
Total Electrical Power:	5,6kW
Total Air Pressure:	6 Bar
Total Air Usage:	40lt/min
Working Height:	870mm
End Cutting:	2 x 0,37kW / 12000rpm
Top-Bottom Milling:	2 x 0,37kW / 12000rpm
Dust Extraction Diameter:	150mm
Machine Dimensions (WxLxH):	1000x3100x1700mm
Machine Weight:	920kg



T-EB-149 - SPECIFICATION SHEET

TECHNICAL DIMENSIONS







