

LINEAR EDGEBANDER


TURANLARUK



DESCRIPTION

The T-EB-157 is one of the professional series of edgebanders manufactured by Turanlar. The T-EB-157 performs perfectly with its standard units i.e. PLC Touch Screen, Pre-Milling, Top and Bottom Trimming units, Radius Scraping and Buffing processes as well as our Teflon coated EVA Hotmelt glue pot system found on the majority of the Turanlar UK Edgebander range. In addition with the T-EB-157 you have hot air blower units and a grooving saw as well as Anti-adhesive spray which is done before the pre-milling. It can apply all common edging materials between 0.4-3mm (PVC, Veneer, ABS, Melamine & Solid Wood etc.) all up to 50mm wide panels. It has a feeding speed of 15m/min.

The T-EB-157 is one of the most popular models of Turanlar Edgebanding machinery with most manufacturers due to its specification and cost. With its pre-milling unit and anti-adhesive spray done before the edge is applied to the panel as well as contour top and bottom trimming units in order to give a perfect corner rounding finish on the panel. Ideal for manufactures who are completing postformed work due to the flexibility of the trimming units which can trim and contour half round profiles efficiently. Its modern, functional & strong design is from over five decades worth of experience manufacturing Edgebanding machinery. There is also the option of having a separate PUR Glue system with this machine. Please get in touch if you require more details and pricing.



T-EB-157 - SPECIFICATION SHEET







PRODUCT SPECIFICATION

Electrical Level:	415 V
Phase:	Three Phase
Nominal Current:	31A
Edge Material Thickness:	0.4 – 3mm
Board Thickness:	
Without Pre-Milling	10-50mm
With Pre-Milling	10-46mm
Speed:	15m/min
Total Electrical Power:	15 kW
Total Air Pressure:	6 Bar
Total Air Usage:	300lt/min
Working Height:	910mm
Pre-Milling:	2 x 1,50kW/ 12000rpm
Trimmer Power:	1 x 0,37kW / 12000rpm
Trimming:	2 x 0,37kW/ 12000rpm
Grooving Saw:	2,2kW/2800rpm
Buffing Motor:	2 x 0,18kW/1400rpm
Dust Extraction Diameter:	150mm
Machine Dimensions (WxLxH):	1010x5300x1700mm
Machine Weight:	2350kg



T-EB-157 - SPECIFICATION SHEET

TURANLARUK

TECHNICAL DIMENSIONS

